



# Hospital Furniture

———— Catalogue ————



+91-9999603928



info@cureexpress.in



www.cureexpress.in

# Beds

## Hi-Low Electro Ultra Deluxe

CEHF 01

### FEATURES

- Durable CRCA frame with a four-section perforated top for ventilation.
- Multiple positions (Back-rest, Knee-rest, Trendelenburg, Hi-Low) via corded remote.
- Nursing control panels with position lock to prevent mishandling.
- ABS head & foot panels, tuck-away safety railing for security.
- Mounted on 125mm castors, two with brakes.
- Stainless Steel IV rod with foldable hooks.
- Epoxy powder-coated for longevity.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Hi-Low Mechanical

CEHF 02

### FEATURES

- Durable CRCA frame with a four-section perforated top for ventilation.
- Gas spring-assisted backrest with rapid descent for CPR.
- Multiple positions (Back-rest, Knee-rest, Trendelenburg, Hi-Low) via crank handles at the foot end.
- ABS head & foot panels, collapsible safety railing for security.
- Mounted on 125mm castors, two with brakes.
- Stainless Steel IV rod with foldable hooks.
- Epoxy powder-coated for durability.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Hi-Low Mechanical Deluxe

CEHF 03

### FEATURES

- Sturdy CRCA frame with a four-section perforated top for airflow and durability.
- Manual adjustment for Back-rest, Knee-rest, Trendelenburg, and Hi-Low positions via crank handles at the foot end.
- Strong SS head & foot panels with wood ply finish for a refined look.
- Collapsible safety railing for patient security and easy access.
- Mounted on 125mm high-strength castors, two with brakes for stability.
- Stainless steel IV rod with foldable four IV hooks.
- Pre-treated and epoxy powder-coated for corrosion resistance.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Bed – Cum – Trolley Hi-Low Deluxe

CEHF 04

### FEATURES

- Versatile ICU cum Trolley Bed, ideal for patient transport from emergency to ICU/ward.
- Sturdy CRCA frame with a four-section perforated top for durability and ventilation.
- Manual adjustment for Back-rest, Knee-rest, Trendelenburg, and Hi-Low positions via crank handles at the foot end.
- Stainless steel head & foot panels, doubling as trolley handles for easy movement.
- Collapsible safety railing for patient security and accessibility.
- Mounted on four 125mm high-strength PU castors, two with brakes for stability.
- Stainless steel IV rod with foldable four IV hooks.
- Pre-treated and epoxy powder-coated for long-lasting protection.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Bed-Cum – Trolley Hi-Low Super Deluxe

CEHF 05

### FEATURES

- Multi-utility ICU cum Trolley Bed, ideal for emergency transport and short-term ICU/ward use.
- Robust CRCA frame with a four-section perforated top for strength and ventilation.
- Manual adjustments for Back-rest, Knee-rest, Trendelenburg, and Hi-Low positions via crank handles at the foot end.
- Stainless steel head & foot panels, doubling as trolley handles for easy movement.
- Collapsible safety railing for enhanced patient security.
- Mounted on four 125mm high-strength PU castors, two with brakes for stability.
- Stainless steel IV rod with foldable four IV hooks.
- Pre-treated and epoxy powder-coated for durability.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Non- Hi – Low Mechanical Deluxe

CEHF 06

### FEATURES

- ICU bed with trolley base for enhanced patient recovery.
- Sturdy CRCA frame with a four-section perforated top.
- Manual adjustments for Back-rest, Knee-rest & Trendelenburg via three crank handles.
- Laminated board head & foot panels with a stainless steel frame.
- Collapsible safety railing on both sides.
- 125mm high-strength castors, two with brakes.
- Stainless steel IV rod with foldable four IV hooks.
- Pre-treated & epoxy powder-coated finish.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).





## Fowler Bed Mechanical

CEHF 07

### FEATURES

- Strong CRCA frame with H-type legs.
- Four-section perforated top for ventilation.
- Manual back-rest & knee-rest adjustments via crank handles.
- Laminated board head & foot panels with stainless steel frame.
- Heavy-duty PVC stumps for sturdy support.
- IV rod provision with four foldable hooks.
- Pre-treated & epoxy powder-coated finish.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Fowler Bed Mechanical

CEHF 08

### FEATURES

- Strong CRCA frame with H-type legs.
- Two-section perforated top for airflow.
- Manual back-rest & knee-rest adjustment via crank handles.
- ABS molded head & foot panels for durability.
- Collapsible side safety railing for protection.
- Heavy-duty PVC stumps for stability.
- SS IV rod with four foldable hooks.
- Pre-treated & epoxy powder-coated finish.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Fowler Bed Electric

CEHF 09

### FEATURES

- Strong CRCA frame with perforated four-section top.
- Motorized back-rest & knee-rest via corded remote.
- ABS head & foot panels with collapsible safety railing.
- 125mm high-strength castors, two with brakes.
- SS IV rod with four foldable hooks & turning food table.



## Semi-Fowler Bed Mechanical

CEHF 10

### FEATURES

- Strong CRCA frame with H-type legs.
- Two-section perforated top with crank-operated back-rest.
- ABS head & foot panels for durability.
- Heavy-duty PVC stumps for stability.
- SS IV rod with four foldable hooks at multiple locations.
- Pre-treated & epoxy powder coated finish.
- Size: 2200 mm x 1000 mm x 600-800 mm (LxWxH).



## Semi-Fowler Bed Mechanical

CEHF 11

### FEATURES

- CRCA frame with trolley base
- Crank-operated back-rest on two-section perforated top
- ABS panels, collapsible rails, turning food table, shoe holder
- 125mm castors (2 with brakes), SS IV rod with 4 hooks
- Pre-treated & epoxy powder coated



## Semi-Fowler Bed Mechanical

CEHF 12

### FEATURES

- Strong steel frame with unequal-height tubular head & foot bows, mounted on PVC stumps.
- Perforated CRCA sheet top with mattress guard; crank-operated backrest.
- 125mm castor wheels (two with central brake, two with steering + brake); saline rod provision.
- Pre-treated epoxy coating, 180kg capacity, Size: 2060x900x600mm.



## Mattress for Hospital Bed

CEHF 13

### FEATURES

- 4" 32 KG/M<sup>3</sup> density polymer foam with Rixin cover
- Breathable, washable, liquid & fireproof material
- Stretchable, water-resistant, vapor-permeable cover
- Antimicrobial, bacteriostatic & fungistatic properties
- Turnable guide & washing instructions on cover



## Ward Bed Plain General

CEHF 14

### FEATURES

- Strong rectangular steel frame with tubular head & foot bows
- Perforated CRCA sheet top with mattress guard
- Vertical tube supports, mounted on PVC stumps
- Provision for saline rod
- Pre-treated & epoxy powder coated finish
- Size: 78"L x 36"W x 24"H



## Ward Bed With Backrest On Ratchet

CEHF 15

### FEATURES

- Strong steel frame on "H" type legs with rubber stumps
- Two-section perforated CRCA sheet top with mattress guard
- Back-rest adjustable by ratchet system
- Steel pipe frame head & foot panels
- Provision for saline rod
- Pre-treated & epoxy powder coated finish
- Size: 78"L x 36"W x 24"H



## Ward Bed With Backrest On Ratchet

CEHF 16

### FEATURES

- Strong steel frame on “H” legs with rubber stumps
- Perforated CRCA sheet top with mattress guard
- Back-rest adjustable by ratchet system
- SS head & foot panels, saline rod provision
- Pre-treated & epoxy powder coated finish (78”L x 36”W x 24”H)



## Attendant Bed

CEHF 17

### FEATURES

- Strong steel frame on “H” legs with rubber stumps
- Perforated CRCA sheet top with mattress guard
- Powder-coated head & foot bows
- Pre-treated & epoxy powder coated finish (78”L x 36”W x 18”H)



## Attendant Bed

CEHF 18

### FEATURES

- Attendant bed with built-in 75mm cushion
- Sturdy steel frame with ERW tube (50x25mm top, 30x30mm legs)
- Three horizontal supports, rubber-mounted legs
- Nylon feet for stability
- Size: 1800mm x 610mm x 380mm



## Attendant Bed

CEHF 19

### FEATURES

- Rectangular CRCA pipe frame on “H” legs
- Perforated CRCA sheet top
- SS tube support at head & leg sides
- Mounted on PVC stumps
- Pre-treated & epoxy powder coated
- Size: 1870mm x 600mm x 450mm



## Hospital Mattress

CEHF 20



### FEATURES

- 5-6" 40 density foam with breathable, fireproof cover
- Polymer foam with Rexin cover & zip closure
- Ultra-stretch, vapor-permeable & water-resistant
- Antimicrobial, bacteriostatic & easy to clean
- Marked with turnable guide & washing instructions
- Size: 72" x 21" x 4-6"



# Bedside Lockers

## Bed Side Locker Open

CEHF 21

### FEATURES

- Strong steel pipe frame with three SS shelves
- Guard rails on three sides of each shelf
- Mounted on rubber stumps
- Pre-treated & epoxy powder-coated frame



## Bed Side Locker With Abs Drawer

CEHF 22

### FEATURES

- Strong SS pipe frame with two SS shelves
- Guard rails on three sides of each shelf
- ABS lockable cabinet with three drawers
- Mounted on rubber stumps
- Well-polished stainless steel finish



## Bed Side Locker

CEHF 23

### FEATURES

- Strong SS tubular frame with two shelves
- Guard rails on each shelf
- Mounted on four 3" swivel castors
- Well-polished stainless steel finish



## Bed Side Locker

CEHF 24

### FEATURES

- CRCA sheet construction
- One box & one drawer locker
- Jointless SS top with three raised edges
- Pretreated & epoxy powder coated



## Over Bed Table

### Over Bed Table With Adjustable Height

CEHF 25

### FEATURES

- Laminated board top on tubular steel frame
- Mounted on 5cm swivel castors
- Height adjustable via stainless steel sliding pipe & knob
- Pre-treated & epoxy powder coated finish



### Over Bed Table

CEHF 26

### FEATURES

- Laminated board top on tubular steel frame
- Mounted on four 5cm swivel castors
- Pre-treated & epoxy powder coated finish



## Over Bed Table with Adjustable Height

CEHF 27

### FEATURES

- Rectangular frame on 5 cm castors
- Wooden top adjustable by gear & lever
- Easy height adjustment (760mm-1050mm)
- Pre-treated & epoxy powder coated finish
- Size: 760mm L x 400mm W



## Stretchers

### Stretcher Trolley Non Hi-Lowdeluxe

CEHF 28

### FEATURES

- CRCA sheet stretcher on a heavy-duty steel frame
- Removable from trolley with stainless steel handle
- Trolley with CRCA tubular frame & 150mm swivel castors
- I.V. rod attachment on both sides
- Pre-treated & epoxy powder coated finish



## Stretcher Trolley Hi – Low Super

CEHF 29

### FEATURES

- CRCA pipe & sheet with epoxy powder coated finish
- Height adjustable via crank mechanism
- Two-section top, head raise by ratchet system
- Mounted on 125mm castors (two with brakes)
- ABS tuck-away safety railing for easy patient transfer
- SS IV rod with foldable IV hooks
- Includes cylinder cage & utility tray
- 50mm high-density foam mattress with fixing straps



## Emergency Stretcher Trolley

CEHF 30



### FEATURES

- Safety side railing, IV rod, storage tray & cylinder cage
- Removable X-ray translucent top with cassette tray
- Hydraulic height adjustment via foot pedal
- Gas spring-assisted backrest (0-70°), Trendelenburg & reverse Trendelenburg
- 15cm antistatic castors with central locking & optional 5th wheel steering
- Foot paddles on both sides for control
- Collapsible side rails & folding SS IV pole with 2 hooks
- Storage jacket for patient belongings
- Foam mattress with antibacterial, disinfectant, liquid-proof & fireproof cover
- Size: 2100 x 650 x 650-950 mm (LxWxH)

## Ambulance Stretcher Trolley

CEHF 31

### FEATURES

- Lightweight, strong, and compact design
- High-precision mechanical transmission
- Automatic folding via left/right hand control
- High-quality aluminum alloy construction
- Weight: 40 kg | Castor diameter: 125 mm
- Ideal for hospitals, emergency centers, ambulances & battlefields



## Examination Tables

### Examination Table General (Two Sections Top)

CEHF 32

### FEATURES

- Two-section top with ratchet-adjustable head section
- CRCA sheet and pipe construction
- IV rod provision at head end (stainless steel)
- Mounted on PVC stumps
- Pre-treated and epoxy powder coated finish





## Examination Couch

CEHF 33

### FEATURES

- CRCA sheet on a CRCA pipe frame
- One open side, two shelves, and a lockable almirah with two shelves
- Middle space for easy patient examination
- 100mm high-density PU foam mattress with inbuilt pillow
- Towel/disposable paper roll stand at foot end for hygiene
- Mounted on non-breakable PVC stumps
- Pre-treated and epoxy powder coated finish



## Gyn. /Obstetric Examination Table

CEHF 34

### FEATURES

- Two-section top with head section adjustable by ratchet or hydraulic jack
- CRCA sheet and pipe construction
- Lithotomy leg holders with straps at leg end
- SS IV rod at head end
- 50mm high-density PU foam mattress with heavy-duty Rexine cover
- Pre-treated and epoxy powder coated finish



## Examination Table General (Three Sections Top)


CEHF 35

### FEATURES

- Three-section cushioned top, head adjustable by ratchet
- CRCA sheet and pipe construction
- Leg section adjustable by lever, height by knee crutches
- SS IV rod at head end
- Mounted on PVC stumps
- Pre-treated and epoxy powder coated finish



# Bed for Child



## Pediatric BED

CEHF 36

### FEATURES

- MS tube frame with tubular head & foot bows
- Oval perforated CRCA MS sheet top
- PVC stump-fitted legs, IV rod slots at four locations
- Full-length drop side rails
- Pre-treated & epoxy powder coated finish
- Size: 1480L x 840W x 600H mm (frame: 1370L x 760W mm)
- Optional: Plain mattress & SS telescopic IV rod

# Delivery Beds

---

## Labour & Delivery Bed

CEHF 37

### FEATURES

- Two-section CRCA sheet & pipe construction
- Leg section retractable under body section
- Swivel castors with brakes, rubber tip-cushioned legs
- Adjustable leg holder & knee crutches
- IV rod provision at head end
- Foam mattress (21-25kg/m<sup>3</sup>), waterproof & flame retardant
- Pre-treated & epoxy powder coated finish
- Size: Body – 1000L x 500W x 750H mm, Leg – 600H mm
- Load capacity: 150-180kg, Castors: 100mm



# Examination Tables

---

## Examination Table

CEHF 38

### FEATURES

- Two-section cushioned top, head adjustable on ratchet
- 5cm foam top covered with rexine
- IV rod provision at head end
- Mounted on PVC stumps
- Pre-treated & epoxy powder coated finish
- Size: 180 x 60 x 81 cm



## Gynae /Obstetric Examination Couch

CEHF 39

### FEATURES

- CRCA sheet & pipe frame with lockable almirah box
- Free middle space for easy patient examination
- Gynae “U” cut with upholstered lithotomy on SS rods
- Sliding SS basin/tray under main frame
- 100mm high-density PU foam mattress with inbuilt pillow
- Mounted on non-breakable PVC stumps
- Pre-treated & epoxy powder coated finish



## Examination Couch

CEHF 40

### FEATURES

- Laminated wood boxes with shelves & SS handles
- Middle space for examination & footstep
- 100mm PU foam mattress with pillow
- Mounted on PVC stumps, epoxy coated



## Obstetric Telescopic Labour Table/Bed

CEHF 41

### FEATURES

- Two-section top with ratchet-adjustable head
- Lithotomy leg holders with straps
- SS IV rod at the head end
- 50mm high-density PU foam mattress with heavy-duty rexine
- Epoxy powder-coated finish



## Labour Delivery Bed Electric

CEHF 42

### FEATURES

- Tubular frame on 125mm castors (two with brakes)
- Three-section cushioned top with electric adjustments
- Trendelenburg/reverse Trendelenburg & height adjustment
- Sliding leg section with upholstered lithotomy support
- Detachable SS tray & telescopic IV rod
- Size: 1880mm (L) x 900mm (W) x 600-800mm (H)



## Gynae /Obstetric Examination Couch

CEHF 43

### FEATURES

- Tubular frame on swiveling castors
- Bakelite top in three sections with matching mattress
- Trendelenburg & reverse positions via crank system
- Hydraulic height adjustment by foot paddle
- Backrest & leg section adjustable, knee crutches included
- SS IV rod with 4 hooks, drop-down SS railing on three sides
- Pre-treated & epoxy powder coated
- Size: 72L x 27W x 24-32H inches



## Examination Couch

CEHF 44

### FEATURES

- CRCA sheet & pipe frame with epoxy powder coating
- 50mm high-density PU foam mattress with raxine cover
- Height adjustable (560-1000mm) with scissor lift mechanism
- Electric actuator (240V) & pneumatic head section adjustment
- Paper roll holder, 125mm swivel castors with brakes
- Max load: 200kg | Size: 1900 x 650 x 800mm





# Ward Furniture

## Bassinet with Mattress

CEHF 45

### FEATURES

- Preprex Transport Crib with mattress
- Trendelenburg/Reverse Trendelenburg positions
- Height adjustable (900-1200mm  $\pm$ 50mm) via foot pedal
- 25mm round tubing frame with epoxy powder coating
- IV rod & 5cm swivel castors for mobility



## Table, Mayo, Height adjustable

CEHF 46

### FEATURES

- Stainless steel frame (20-25mm round tubing)
- 40-50mm anti-static swiveling castors (2 lockable)
- 10mm thick stainless steel rod frame with secure locking
- Satin finish stainless steel pressed plate tabletop
- Height adjustable (89-130cm) with locking clamp
- Tray size: 480x330x22mm



## Bedpan Rack Utility Trolley One Shelf

CEHF 47

### FEATURES

- Material: SS 304, 18 SWG with matt finish
- Rust-proof, easy to clean, install & remove
- Designed for hanging hospital instruments
- Custom sizes available
- Approx. size: 600H x 305W x 800L mm



## Wheelchair Folding

CEHF 48

### FEATURES

- Folding design for easy storage & transport
- Swing-away leg rests & detachable armrests/footrests
- Sturdy chrome-plated frame
- Stable on rough surfaces
- Size: 600 x 790 x 870 mm (LxWxH)



## Commode Wheelchair

CEHF 49

### FEATURES

- Folding design for easy storage & transport
- Chrome-plated sturdy frame with dual brake system
- Swing-away leg rests, fixed armrests, foldable footrest
- Detachable cushion seat, fabric backrest with foam
- 8" solid front wheels, 24" solid rear wheels (self-propelling/attendant type)
- Weight capacity: Up to 250 lbs
- Sizes: Youth (10-15), Wide (19), Extra-Wide (24)



## Backrest Stool

CEHF 50

### FEATURES

- Pneumatic height adjustment with sleek backrest
- Chrome-plated base with foot ring & 50mm castors
- Cushioned seat covered in waterproof rexine/leatherite
- Frame: Stainless steel or epoxy-coated steel



## Patient/Revolving Stool S.S. Deluxe

CEHF 51

### FEATURES

- Heavy-duty tubular stainless steel frame with foot ring
- Height adjustable via revolving screw (SS-covered)
- Cushioned top with high-density PU foam & raxine/SS cover
- Mounted on rubber stumps, polished SS/MS finish



## Foot Step Single

CEHF 52

### FEATURES

- Heavy-duty steel frame with steel sheet top
- Non-slip surface with double aluminum strips
- Mounted on rubber stumps for stability
- Finish: Pre-treated & epoxy powder coated



## Foot Step Double

CEHF 53

### FEATURES

- Heavy-duty steel frame with steel sheet top
- Non-slip surface with double aluminum/steel strips
- Mounted on rubber stumps for stability
- Finish: Pre-treated & epoxy powder coated (also available in stainless steel)



## I.V. Stand/Saline Stand Stainless Steel

CEHF 54

### FEATURES

- Five-leg fiber base with swivel castors for stability
- Spring-loaded stainless steel tubular stand
- Height adjustable with manual knob
- Stainless steel IV rod with two hooks
- Well-polished stainless steel finish



## Kick Bucket With Basin S.S.

CEHF 55

### FEATURES

- Five-leg fiber base with swivel castors for stability
- Spring-loaded stainless steel tubular stand
- Height adjustable with manual knob
- Stainless steel IV rod with two hooks
- Well-polished stainless steel finish



## Baby Cradle

CEHF 56

### FEATURES

- Strong CRCA pipe frame with hanging hook for cradle
- Heavy steel wire cradle with hanging clamp
- Mounted on durable PVC stumps
- 2-inch PU foam sheet covered with heavy-duty rexine
- Pre-treated and epoxy powder-coated finish



## Bed Side Screen 3/4 Panel

CEHF 57

### FEATURES

- MS tubular frame (19mm x 18G) in four sections
- Legs (25mm x 18G) with 50mm dia castors
- Hooks, springs, and curtain cloth included
- Overall size: 1680H x 2450mm
- Pre-treated and epoxy powder-coated finish



## Baby Bassinet

CEHF 58

### FEATURES

- Preprex Transport Crib with Mattress
- Trendelenburg/Reverse Trendelenburg positions
- IV rod & 5cm casters for mobility
- Strong, durable frame with epoxy powder coating



## Instrument Cabinet

CEHF 59

### FEATURES

- Made from CRC Sheet, three sides closed
- Front glass doors with lock
- Adjustable shelves
- Pre-treated & epoxy powder coated
- Approx. size: 960 x 400 x 1750 mm





## Wash Basin Stand

CEHF 60

### FEATURES

- Five-leg base with 5cm dia castors
- Approx. 35cm dia SS basin
- MS vertical tube (25mm x 15G) & basin holder (15mm x 18G)
- Pre-treated & epoxy powder coated
- Available in SS vertical tube & basin holder



## Monitor Stand Wall Mount S.S.

CEHF 61

### FEATURES

- Wall-mounted stainless steel monitor stand
- Two-tier design with top shelf for monitor & lower shelf for accessories
- Front & back railings on top, four-side safety railing on lower shelf
- Well-polished stainless steel finish



## Patient Attendant Stool

CEHF 62

### FEATURES

- Sturdy four-leg steel frame with PVC stumps
- Durable stainless steel top
- Pre-treated and epoxy powder-coated finish



## Surgeon Stool

CEHF 63

### FEATURES

- Pneumatic height adjustment for easy use
- Chrome-plated base with or without foot ring
- 50mm dia castors for smooth mobility
- Stainless steel or epoxy-coated frame
- 35-40 cm cushioned seat with waterproof rexine



## O.T. Trolleys

### Trolley For Jumbo Cylinders

CEHF 64

### FEATURES

- Heavy-duty trolley for jumbo cylinder transport & storage
- Strong 6-inch rear wheels & top handle for easy movement
- Durable steel tube frame with a heavy steel flat base



### Dressing Trolley S.S.

CEHF 65

### FEATURES

- Stainless steel tubular frame on 100mm PU swivel castors (2 with brakes)
- Two SS shelves with three-side railing
- Includes stainless steel bucket & basin
- Bright polished stainless steel finish



## Laproscopy/Endoscopy Equipment Trolley S.S.

CEHF 66

### FEATURES

- Strong stainless steel frame with six adjustable/removable SS shelves
- Three-side safety rails on each shelf
- Electric socket strip with 11 modular sockets at the rear
- Detachable SS cylinder cage at the back
- Moves on four 5-inch heavy-duty PU swivel castors (2 with brakes)
- Well-polished stainless steel finish



## Instrument Trolley

CEHF 67

### FEATURES

- Frame: Made of 1"x18G vertical MS tubes
- Shelves: Two 22G stainless steel shelves (without side railings)
- Mobility: Mounted on four 75/100mm dia castors (5cm fixed to legs)
- Finish: Stainless steel frame and shelves
- Dimensions: Approx. 455mm x 455mm x 860mm (LxWxH)



## Dressing Trolley S.S.

CEHF 68

### FEATURES

- Full stainless steel frame with three shelves
- Three-side safety railings on each shelf
- Stainless steel hanging drawer under the top shelf for storage
- Push/pull handle on one side for easy movement
- Mounted on four 4" PU swivel castors (two with brakes, with covers)
- Well-polished stainless steel finish



## Instrument/Dressing Trolley S.S.

CEHF 69

### FEATURES

- Frame: Stainless steel tubular construction
- Mobility: Mounted on four 100mm PU swivel castors (two with brakes)
- Shelves: Two stainless steel shelves with three-side stainless steel railing
- Finish: Well polished stainless steel
- Size Options:
- 610mm x 455mm x 860mm (LxWxH)
- 455mm x 455mm x 860mm (LxWxH)



## Utility Trolley One Shelf

CEHF 70

### FEATURES

- Frame: Mild Steel (MS) framework
- Shelves: Stainless steel (SS) shelves
- Drawer: One mild steel (MS) drawer
- Mobility: 10 cm castors
- Additional Option: IV rod (optional)



## Instrument/Dressing with Two Drawer

CEHF 71

### FEATURES

- Overall Size: 30"L x 18"W x 32"H
- Frame: Tubular stainless steel (SS) pipe
- Top: Stainless steel sheet
- Drawers: Two stainless steel (SS) drawers on the top side
- Mobility: 10 cm castors
- Safety Features: Protective side rails on the top and bottom shelf



## Medicine Trolley with 4 Drawers

CEHF 72

### FEATURES

- Five-leg base with 5cm dia castors
- Approx. 35cm dia SS basin
- MS vertical tube (25mm x 15G) & basin holder (15mm x 18G)
- Pre-treated & epoxy powder coated
- Available in SS vertical tube & basin holder



## Emergency & Recovery Trolley (Hydraulic)

CEHF 73

### FEATURES

- Approx Size: 210 x 65 x 65-95 cm
- Safety side railing
- IV rod
- Storage tray & cylinder cage
- Removable X-ray translucent top with tray for X-ray cassettes
- Height adjustable by hydraulic pump (foot pedal)
- Trendelenburg & Reverse Trendelenburg by gas spring
- 15 cm dia castors with corner buffers
- Pretreated & epoxy powder coated



## Patient Stretcher Trolley with Cushion Top

CEHF 74

### FEATURES

- Size: 195x65x65-95 cm, MS tube frame
- Safety rails, IV rod, cylinder cage, ratchet backrest
- Four 15 cm castors (two with brakes), epoxy coated



## Patient Transfer Trolley (High Low)

CEHF 75

### FEATURES

- Approx Size: 210x65x65-95 cm
- Two-section top with removable X-ray permeable stretcher
- Safety side railing, IV rod, storage tray & cylinder cage
- Backrest raised on ratchet, height adjustable
- Trendelenburg/Reverse Trendelenburg by crank mechanism
- Four 15 cm swivel castors, two with brakes
- Collapsible side rails, corner buffers
- Pre-treated & epoxy powder coated



## Patient Stretcher Trolley with Cushion Top

CEHF 76

### FEATURES

- Approx Size: 180L x 55W x 80H cm
- Two-section top, ERW tubular & rectangular pipe frame
- Safety side railing, IV drip rod, backrest raised on ratchet
- Four 12.5 cm swivel castors, two with brakes



## Linen Trolley With Shelves Deluxe

CEHF 77

### FEATURES

- Heavy steel frame with four 4" swivel castors, two with brakes
- Two multipurpose shelves and one top tray
- Includes one canvas bag
- Pre-treated and epoxy powder coated finish





## Baby Resuscitation Trolley

CEHF 78

### FEATURES

- Strong CRCA sheet and pipe frame resuscitation trolley
- Tilting top with fixed railings for Trendelenburg positions
- Lamp provision and stainless steel IV rod at head end
- Four 4" PU swivel castors, two with brakes
- 2" PU foam sheet covered with heavy-duty rexine
- Pre-treated and epoxy powder coated finish



## Crash Cart-Cum-Emergency Medicine Trolley S.S. Ultra Deluxe

CEHF 79

### FEATURES

- Steel frame with six ABS lockable drawers and two stainless steel drawers
- Monitor stand and defibrillator platform on both sides of the upper frame
- Six hooks for cords, clamps, and stethoscopes
- Height-adjustable stainless steel IV rod with rear IV hook
- Four 5" high-strength PU swivel castors, two with brakes
- Well-polished stainless steel finish



## Linen Trolley With Shelves Deluxe

CEHF 80

### FEATURES

- Tubular heavy steel frame with four 4" swivel castors, two with brakes
- Two multipurpose shelves with a top tray
- Includes two canvas bags
- Pre-treated and epoxy powder-coated finish
- Dimensions: 1000X490X1100 mm



## Clean Linen Trolley

CEHF 81

### FEATURES

- Mounted on 4" castor wheels, two with brakes
- Made from CRC sheet, pre-treated and epoxy powder-coated
- Dimensions: approx. 1350 x 450 x 900mm



## Medicine Trolley

CEHF 82

### FEATURES

- Rigid steel sheet with hard epoxy powder coating
- Five drawers with internal compartments (30 per drawer)
- Protective bumper, pushing handle on one side
- Mounted on 100mm castor wheels, two with brakes
- SS 304 grade top shelf with four-side raised edges
- Overall size: 685mm L x 460mm W x 910mm H



# O.T. Tables

## Remote Control Electro Hydraulic O.T Table With Manual Override

CEHF 83



### FEATURES


- 100% life-saving with low-voltage electricity supply
- Manual override for battery/electricity failure
- Manual operation for head, leg, top slide & kidney bridge
- 362kg weight capacity
- Radio translucent table top with click mechanism for easy conversion
- Full-body imaging without special accessories
- Durable one-touch pedal control

### TECHNICAL SPECIFICATIONS

- Table Top: 215cm (L) x 50cm (W)
- Height Adjustment: 75cm - 105cm
- Lateral Tilt:  $\pm 20^\circ$
- Trendelenburg:  $\pm 25^\circ$
- Chair Position:  $90^\circ / 40^\circ$
- Head & Leg Section:  $\pm 90^\circ$  (manual)
- Kidney Elevator: 15cm (manual)

### ACCESSORIES

- Anaesthetic Frame (1 Pc)
- Padded Side Supports (1 Pair)
- Intravenous Armboard (1 Pair)
- Padded Shoulder Supports (1 Pair)
- Knee Crutches (1 Pair)
- Mattress Set (50mm Thickness)



Trendelenburg



Lateral Tilt (Both)



Reverse Trendelenburg



Chair Position



Flex Position



Reflex Position



Manual Selector for position



Kidney Position



Manual Lever for position

## Orthopedic Attachments



U Shaped Headrest

## C- Arm Compatible Remote Control Electro Operating Table

CEHF 84



### FEATURES

- 100% life-saving with low voltage electricity supply.
- Offline battery backup.
- Manual operation for Head, Leg, Top Slide & Kidney Bridge.
- 362Kg weight capacity.
- Full articulation capability with removable leg section.
- Full body imaging without special accessories.
- Durable one-touch pendant control.
- Electrically controlled height, backrest, Trendelenburg/Reverse, and lateral tilt.
- Radiolucent tabletop with 4-section seamless molded mattress.
- Heavy base column covered with stainless steel sheet.

### TECHNICAL SPECIFICATIONS

- Tabletop: 215cm (L) x 50cm (W).
- Height: Adjustable from 75cm to 105cm.
- Lateral tilt:  $\pm 18^\circ$ .
- Trendelenburg/Reverse:  $\pm 35^\circ$ .
- Chair position:  $90^\circ / 45^\circ$ .
- Head section:  $\pm 45^\circ$ .
- Leg section:  $+55^\circ / -100^\circ$ .
- Kidney elevator: 15cm (manual).


### ACCESSORIES

- Anesthetic frame (1 piece).
- Padded side supports (1 pair).
- Intravenous armboard (1 pair).
- Padded shoulder supports (1 pair).
- Knee crutches (1 pair).
- Mattress set (50mm thick).
- Mattress cover (Black/Blue).





Trendelenburg



Lateral Tilt (Both)



Reverse Trendelenburg



Chair Position



Flex Position



Reflex Position



Kidney Position

## Orthopedic Attachments



U Shaped Headrest

# Electro Hydraulic Operating Table

CEHF 85



Elevation Range	Highest	1016	From the floor surface to the upper surface of the table top
	Lowest	711°	
Lengthwise Tilt Angle	Head Down	25°	From the level position
	Head up	25°	
Lateral Tilt	Right Down	20°	From the level position
	Left Down	20°	
Back Section	Up	90°	From the level position
	Down	40°	
Leg Plate Flex Angle	Down	100°	From the level position
Sliding table top			
Optional Height Adjustment : 660mm - 965mm, 700mm - 1075mm			
Electric Floor Locking (Optional)			

## Standard Accessories :

- Anesthetic Screen.
- Shoulder Supports with pads.
- Arm Boards with pads.
- Lateral Support with pad.
- Knee Crutches Goepel type.
- Water proof rubber mattress.
- Additional Section provided.
- Body Strap
- X-ray Cassette holder

## OPTIONAL FEATURES

- Ergonomic remote with spiral cable, LED backlit screen, and symbolic position figures for easy use in the dark.
- Zero position function restores the OT table to normal with one button.
- Patient reverse orientation mode allows head and leg sections to be interchanged.
- Stores up to two preset table positions (M1 & M2) for quick recall via remote.
- Remote control includes a lock function to prevent accidental movement during surgery.



Table up



Table down



Trendelenburg position



Reverse Trendelenburg position



Turn left



Turn right



Back plate up



Back plate down



Flex position



Re-flex position



Longitudinal shift towards leg end



Longitudinal shift towards Head end





**General Surgery** The stability of MULTISTAR-1 is suitable for abdominal, chest, and advance laparoscopic surgeries.



**Bariatric Surgery** : Semi standing position achieved by High reverse trendelenberg.  
Optional width extenders available




Extracorporeal membrane oxygenation (ECMO procedure) with fowlers position, the patient lies on the slightly tilted surgical table. The trendelenburg angle creates respiratory efficiency for patients.



**Spine Surgery** : Using Laminectomy frame  
Optional



Lower position for ENT & neurosurgery



Inbuilt kidney bridge (C-ARM compatible)  
There is no bar across the table top





## Optional Attachments



Orthotec-2 Radiolucent pelvisplate orthopedic extension



Knee-chest position



Accessories stand



Shoulder Surgery Attachment



T.H.R. Attachment

## Optional Attachments



Imported cervical attachment



Horse shoe attachment



sugita head clamp



mayfield head clamp



Translucent hand rest  
with adjustable support



Foot rest



Raised arm

## C-Arm Provision Hydraulic

CEHF 86

### FEATURES

- Compatible with C-arm Image Intensifier for orthopedic surgeries.
- Suitable for Cardiac, Gynae, Urology, and Endoscopy surgeries.
- Radio-translucent table top.
- Interchangeable head and leg sections.



## Revolving Hydraulic Table

CEHF 87

### FEATURES

- Single-action hydraulic lift with auto floor locking.
- Detachable leg section for easy lithotomy positioning.
- Smooth hydraulic movement with preset lowering speed.
- Heavy mild steel base with fiber wheels for stability.



## Ophthalmic Table/Eye Surgery O.T. Table

CEHF 88

### FEATURES

- Electrically foot-operated for convenience.
- Heavy mild steel base with fiber wheels for stability.
- Auto floor locking device for safety.



# O.T. Lights

## Twin Dome With Diachronic Reflector

CEHF 89

### FEATURES

- Dome Diameter: 22" (Both)
- Light Intensity: 1,00,000 Lux (Both)
- Color Temperature: 4200K
- Power Supply: 220V AC/DC
- Halogen Bulbs: 24V - 150W
- Auxiliary bulb prevents light failure during surgery
- Digital Intensity Controller included



## Single Dome Seven Reflectors

CEHF 90

### FEATURES

- Dome Diameter: 70 cm
- Light Intensity: 1,00,000 Lux
- Field Size: 20 cm
- Action Radius: 160 cm
- Color Temperature: 4200K
- Halogen Bulbs: 12V - 55W × 7
- Power Supply: 220V AC/DC



## Operation Theatre Light

CEHF 91

### FEATURES

- Dome Diameter: 70 + 55 + 48 cm
- Light Intensity: 1,20,000 Lux, 80,000 Lux, 70,000 Lux
- Field Size: 25 cm
- Halogen Bulbs: 12V - 50W × 11, 24V - 150W × 1



## Single Dome Diachronic Reflector

CEHF 92

### FEATURES

- Dome Diameter: 24"
- Light Intensity: 1,00,000 Lux
- Color Temperature: 4200 K
- Power: 220V AC/DC
- Halogen Bulbs: 24V - 150W
- Auxiliary bulb for backup during surgery
- Digital Intensity Controller



## Twin Dome

CEHF 93

### FEATURES

- Dome Diameter: 48 + 48 cm
- Light Intensity: 75,000 + 75,000 Lux
- Color Temperature: 4200 K
- Halogen Bulbs: 24V - 150W
- Auxiliary bulb for backup during surgery
- Power: 220V AC/DC



## Single Dome Five Reflector

CEHF 94

### FEATURES

- Dome Diameter: 24"
- Light Intensity: 90,000 Lux
- Color Temperature: 4200 K
- Halogen Bulbs: 12V-55W x 5



## Double Dome Five + Five Reflector

CEHF 95

### FEATURES

- Dome Diameter: 24" + 24"
- Light Intensity: 90,000 + 90,000 Lux
- Color Temperature: 4200 K
- Halogen Bulbs: 12V-50W x 5 (Two Domes)



## Led O.T. Light (Single Dome)

CEHF 96

### FEATURES

- Dome Size: 27"
- Illumination: 120,000 Lux (Variable)
- Light Field Diameter: 200-300mm (Variable, Manual Tilt)
- Color Temperature: 4200-5000 K (Variable)
- Dimming Range: 10-100%



## Single Dome Five Reflector

CEHF 97

### FEATURES

- Dome Size: 27"
- Illumination: 120,000 Lux (Variable)
- Light Field Diameter: 200-300mm (Variable, Manual Tilt)
- Color Temperature: 4200-5000 K (Variable)
- Dimming Range: 10-100%





## Single Dome (Portable)

CEHF 98

### FEATURES

- Dome Diameter: 35 cm
- Halogen Bulb: 24V/100W
- Color Temperature: 4200 K
- Power: 220V AC/DC
- Intensity: 40,000 Lux



## Single Dome Four Reflector With Power Backup

CEHF 99

### FEATURES

- Dome Diameter: 55 cm
- Halogen Bulb: 12V-55W x 4
- Color Temperature: 4200 K
- Power: 220V AC/DC
- Intensity: 80,000 Lux



## Led O.T. Light (Portable)

CEHF 100

### FEATURES

- Dome Size: 27"
- Illumination: 120,000 Lux (Variable)
- Light Field Diameter: 200-300mm (Variable, Manual Tilt)
- Color Temperature: 4200-5000 K (Variable)
- Dimming Range: 10-100%



## Diachroic Reflector With Power Backup (Single Dome)

CEHF 101

### FEATURES

- Dome Diameter: 22"
- Halogen Bulb: 24V/150W
- Color Temperature: 4200 K
- Power: 220V AC/DC
- Intensity: 150,000 Lux



## Office/Clinic Furniture

### Table with Drawer

CEHF 102



### FEATURES

- Steel Base Desk with Three Drawers
- Size: 1200 x 600 mm
- Material: 25 x 25 Square Tube
- Top Material: Laminated Plywood

## Chairs

### CEHF 103

#### FEATURES

- Hydraulic Seat Height Adjustment
- Ideal for Staff & Workstations
- Inner-Outer Plastic Fiber Cover on Back
- Push Back Mechanism
- Medium Height Back Rest
- 90 Degree Tilt Lock
- High Quality Up-Down Gas Lift
- Imported Castor Wheels with Good Grip
- High Quality Fiber Arm Rest
- Virgin Quality Fiber Stand/Base
- 360 Degree Revolving
- Color Options Available



## Drug Dispensing/Trauma Care Trolley

### CEHF 104


#### FEATURES

- Overall Approximate Size: 685mm L x 460mm W x 1605mm H
- Cabinet: CNC machine pressed & bent CRCA sheet with five drawers of varying heights, mounted on ball bearing sliding channels
- Drawers: First 3 drawers with inner compartments
- Top Shelf: CNC machine pressed & bent SS 304 grade with three raised edges
- Monitor Tray: SS 304 grade with 150mm depth at top of the trolley
- Hand Bins: 12 flip-out bins with labeling provision
- Handle: Push-type handle on one side, waste bin, document holder, and telescopic writing pad on the other side
- Cylinder Cage: Detachable provision under trolley
- IV Pole: SS telescopic IV pole provision
- Castor Wheels: 100mm dia., two with brakes
- Finish: Epoxy powder-coated and supplied assembled
- Optional Model: Complete 304 grade Stainless Steel



## X-Ray View Box

CEHF 105



### FEATURES

- Design: Innovative, scientific, and safe way to view Medical X-ray, MRI, & CT scan films, fitting well with today's flat panel monitor environment
- Appearance: Professional, slim, high-tech design, efficient space usage for consultation areas
- Brightness: High brightness with advanced clipping device for easy insertion and removal of films
- Light Distribution: Excellent uniformity (>90%)
- Lamp Lifespan: Long-lasting (80,000 hours)
- Film Sizes: Available in single film (14" x 17"), 2 films (28" x 17"), 3 films (42" x 17"), 4 films (56" x 17")
- Brightness Control: Individual brightness control and film sensor for each section separately

## Examination Lamp

CEHF 106

### FEATURES

- Bulb: Halogen
- Material: Made of steel tube
- Base: Movable castor base
- Arm: Adjustable arm



## Steel Base Benches

CEHF 107

### FEATURES

- Size: Two-meter steel base benches supported by 40 x 40 square tubes
- Base Material: Galvanized steel
- Seating: Stainless steel 4-seater waiting chair
- Platform: Wooden covering on steel frame



## Filing Cabinet

CEHF 108

### FEATURES

- Filing Cabinet Size: 1380 x 470 x 700 mm
- Drawers: 4 drawers with sliding on bearing channels
- Color Combination: Blue and Silver Grey



## Notice Board

CEHF 109

### FEATURES

- Cloth: High tear-resistance velvet for longevity in any environment
- Frame: Satin-finish alloy aluminum with ABS corners for superior aesthetics
- Pinning Surface: High-density fiberboard ensures documents stay securely pinned
- Board Size: 120 x 90 cm
- Package Contents: 1 blue pin-up board and 4 wall mounting clip sets
- Material: Softboard core, alloy aluminum frame, velvet cloth surface



## Folding Stretcher – Two Fold

CEHF 110

### FEATURES

- Unfolded Size: 210 x 50 x 14 cm
- Folded Size: 110 x 18 x 11 cm
- Load Bearing Capacity: 159 kg
- Frame: Powder-coated frame (also available with aluminum frame)



## Examination Light LED

CEHF 111

### FEATURES

- LED: Heavy-duty chip LED 20W with 1-year warranty
- Rod: SS rod with height adjustment
- Base: SS heavy base, folding type
- Wheels: Anti-static rubber wheels, easy to move
- Color: Cool white
- Power: 20W



## Plaster Table

CEHF 112

### FEATURES

- Frame Material: Stainless steel
- Top Section: 6 movable panels
- Waste Collection: Movable container adjustable at any panel
- Size: 180 x 64 x 80 cm
- Additional Features: Drawers and wheels as per tender requirement





## Examination Couch Hydraulic

CEHF 113

### FEATURES

- Cushioned Top: Two-section cushioned top with adjustable head section on hydraulic jack
- IV Rod: Provision for stainless steel IV rod at the head end
- Base: Mounted on PVC stumps
- Cushioning: 5 cm foam cushioned top covered



## Food Trolley

CEHF 114

### FEATURES

- Material: Made of stainless steel
- Compartments: 2 compartments for food storage
- Railing/Handles: SS railing/handles on both sides
- Structure: Heat-resistant structure



## Wheelchair Child

CEHF 115

### FEATURES

- Frame: Powder-plated frame
- Wheels: Spoke wheel with 22" rear wheel
- Seat Width: 15" / 14"
- Weight Capacity: 90 kg
- Armrest: Fixed armrest
- Footrest: Fixed footrest
- Caster: 6" solid caster



## Crutches

CEHF 116


### FEATURES

- High-strength aluminum alloys tube
- Handgrip and foot height adjustable
- Comfortable PU foam underarm pad
- Size: L-135-155cm, M-114-134cm, S-95-115cm
- Pediatric model available



## Spinal Board and Head Immobilizer

CEHF 117



### FEATURES

- Rigidity for long life and lightness
- Maxxis system resistance to bumps and corrosion
- Does not absorb liquids, immune to infiltration, easy to clean
- X-ray compatible, patient can be removed after X-ray or CAT scan
- Seamless moulding to eliminate fluid ingress, avoids splintering and cracking
- Rigid support during patient movement
- Size: 183 (L) x 45 (W) x 5 (H) cm
- Head immobilizer available on request, simple to use and lightweight
- Unique head strap designed for forehead support
- Foam interior with single-use protective pads
- Minimal interference with X-ray, MRI, or CT procedures
- Waterproof plastic coating prevents bacterial growth

## DONOR COACH

CEHF 118




### FEATURES

- Electrically operated donor coach
- 2 low voltage DC motors for up/down and backrest movement
- Foot control and switches on the backrest (optional)
- Adjustable wide and long armrests
- Shock position with synchronized auto movement of seat and backrest
- Adjustable headrest, can further lower head during shock position

## Gynae /Obstetric Delivery Bed

CEHF 119



### FEATURES

- Tubular frame mounted on swivelling castors
- Bakelite sheet top in three sections with 3-section mattress (black/blue)
- Trendelenburg/Reverse Trendelenburg positions, adjustable by crank system
- Hydraulic height adjustable by foot paddle from the side
- Backrest section adjustable on crank mechanism, leg end slides under the main section
- Height adjustable with foam padded knee crutches
- Pre-treated & epoxy powder-coated, SS IV rod with 4 hooks
- Drop-down SS railing on 3 sides of the table
- Dimensions: 72 L x 27 W x 24 (Minimum) - 32 (Maximum) H inches



## Contact Us

---

**PHONE**

+91 9999603928, +91 7678113377

**EMAIL**

[info@cureexpress.in](mailto:info@cureexpress.in)

**WEBSITE**

[www.cureexpress.in](http://www.cureexpress.in)